



Mechanical Joint Reducers


C-153 Class 350




MJ x MJ



MJ SEB



MJ LEB



PE x PE

Fitting Size (in.)	Nominal Thickness		Dimensions							
	T	T ₁	MJ x MJ		MJ LEB		MJ SEB		PE x PE	
			L min.	Wt.	L min.	Wt.	L min.	Wt.	L min.	Wt.
6" x 4"	0.36	0.34	4	24	9.5	26	9.5	26	15	22
8" x 4"	0.38	0.34	5	32	10.5	34	10.5	30	16	30
8" x 6"	0.38	0.36	4	36	9.5	32	9.5	35	15	30
10" x 4"	0.40	0.34	7	46	12.5	43	12.5	43	18	46
10" x 6"	0.40	0.36	5	47	10.5	42	10.5	46	16	46
10" x 8"	0.40	0.38	4	50	9.5	50	9.5	42	15	47
12" x 4"	0.42	0.34	9	58	14.5	60	14.5	60	20	58
12" x 6"	0.42	0.36	7	58	12.5	58	12.5	58	18	57
12" x 8"	0.42	0.38	5	57	10.5	55	10.5	54	16	54
12" x 10"	0.42	0.40	4	61	9.5	59	9.5	59	15	54
14" x 6"	0.47	0.36	9	100	14.5	104	16.9	100	22.3	93
14" x 8"	0.47	0.38	7	100	12.4	98	14.9	98	20.3	94
14" x 10"	0.47	0.40	5	100	10.4	92	12.9	94	18.3	90
14" x 12"	0.47	0.42	4	100	9.4	92	11.9	90	17.3	88

Mechanical Joint Reducers

C-153 Class 350

Fitting Size (in.)	Nominal Thickness		Dimensions							
	T	T ₁	MJ x MJ		MJ LEB		MJ SEB		PE x PE	
			L min.	Wt.	L min.	Wt.	L min.	Wt.	L min.	Wt.
16" x 6"	0.50	0.36	11	124	16.5	136	18.9	125	24.3	124
16" x 8"	0.50	0.38	9	124	14.4	128	16.9	124	22.3	119
16" x 10"	0.50	0.40	7	124	12.5	123	15.0	124	20.5	119
16" x 12"	0.50	0.42	5	112	10.5	119	12.9	122	18.3	113
16" x 14"	0.50	0.47	4	140	12.0	132	12.0	133	19.7	129
18" x 8"	0.54	0.38	13	190	19.5	195	20.2	170	27.4	170
18" x 10"	0.54	0.40	10	195	17.4	185	18.0	165	25.5	160
18" x 12"	0.54	0.42	7	180	14.0	175	15.5	150	19.5	150
18" x 14"	0.54	0.47	6	190	15.0	190	15.0	175	23.0	160
18" x 16"	0.54	0.50	5	195	12.5	190	12.5	170	18.0	145
20" x 10"	0.57	0.40	14	220	19.0	210	22.0	200	27.5	180
20" x 12"	0.57	0.42	12	205	16.0	205	17.5	170	21.5	190
20" x 14"	0.57	0.47	10	200	17.9	205	18.0	190	26.0	195
20" x 16"	0.57	0.50	7	200	13.5	200	13.5	185	19.0	170
20" x 18"	0.57	0.54	4	225	12.0	215	12.0	200	20.0	190
24" x 12"	0.61	0.42	16	305	21.0	290	21.5	275	22.5	240
24" x 14"	0.61	0.47	14	310	21.9	330	22.0	310	25.0	295
24" x 16"	0.61	0.50	12	320	17.5	285	17.5	285	23.0	285
24" x 18"	0.61	0.54	10	305	18.0	310	18.0	300	21.0	290
24" x 20"	0.61	0.57	7	300	13.5	275	13.5	270	14.0	240
30" x 20"	0.72	0.72	24	628	33.0	603	33.0	560	42.0	535
30" x 24"	0.72	0.72	10	478	24.5	526	24.5	495	33.5	458
36" x 24"	0.77	0.77	19	770	33.0	810	33.0	746	42.0	709
36" x 30"	0.77	0.77	15.5	650	24.5	758	24.5	725	33.5	657

Mechanical Joint Reducers

C-153 Class 250

Fitting Size (in.)	Nominal Thickness		Dimensions							
	T	T ₁	MJ x MJ		MJ LEB		MJ SEB		PE x PE	
			L min.	Wt.	L min.	Wt.	L min.	Wt.	L min.	Wt.
42" x 24"	0.82	0.61	40	1356						
42" x 36"	0.82	0.66	15½	1114			24½	1023		
48" x 24"	0.90	0.66	40	1850						
48" x 30"	0.90	0.66	40	1779						
48" x 36"	0.90	0.74	28	1641						

NOTE: All fittings on this page - Call for availability